Technical Specification*

Body Dimensions

2081 mm 756 mm Width Height 1103 mm Wheel Base 1335 mm Ground Clearance 187 mm Kerb Weight 139 kg 715 mm Seat Length Seat Height Fuel Tank Capacity 13 L

Frame & Suspension

(Monoshock)

Transmission

Clutch Type	Multiplate Wet Clut
No. of Gears	5 Gear

Electricals

Battery	12V, 4.0Ah	
Head Lamp	Halogen Bulb	

Frame Type

Front Suspension Rear Suspension Hydraulic Type

Engine		•	
	En	ıne	

•	
Туре	4 Stroke, SI Engine
Displacement	162.71 cc
Max Engine Output	9.9 Kw @7500 rpm
Max Torque	14.58 N-m @ 5500 rpm
Fuel System	PGM- FI
Bore X Stroke	57.300 X 63.096 mm
Compression Ratio	10.0:0.1
Starting Method	Kick/Self start

Tyres & Brakes

,	
Tyre Size & Type (Front)	80/100-18 M/C 47P, Tubeless
Tyre Size & Type (Rear)	100/90-18 M/C 56P, Tubeless
ABS	Single Channel ABS
Brake Type & Size (Front)	Disc - 240 mm
Brake Type & Size (Rear)	Drum - 130 mm

Honda Motorcycle & Scooter India Pvt. Ltd., Registered Office: Plot No. 1, Sector - 03, IMT Manesar, Distt. Gurugram, (Haryana) - 122050, India; Website: www.honda2wheelersindia.com; Customer Care: customercare@honda2wheelersindia.com



Imperial Red Metallic



Matt. Axis Grey Metallic



Pearl Siren Blue



Pearl Igneous Black







⁺The technical specifications and design of the vehicles may vary according to the requirements and conditions without any notice. Unicorn meets Bharat Stage VI norms. Product shown in the picture may vary from actual product available in the market. Accessories shown in the picture are not part of standard equipment.



Honda takes forward its
philosophy to the next level
with the Unicorn that prides
itself on the perfect blend of
quality, comfort and class.
It is by far the most
sophisticated motorcycle in
its category in looks and in
robustness. It is yet another
creation of the renowned
Honda technology.

160cc BS VI Engine

The latest innovation in engines contributes to a cleaner environment. The intelligent BSVI engine delivers an unmatched performance.

Maintenance free **Battery**

With Maintenance Free Battery, here's the peace of mind you are looking for.

Get Around with Technology

PEM-FI FUEL INJECTION

PGM-FI is a sensor based advance system which constantly ensures optimum fuel delivery to the engine as per the ride conditions allowing efficient combustion and lesser emissions.

Anti-lock Braking System (ABS)

Take total control of the road with efficient and effective braking control across a wide variety of riding conditions.

Get Around with Style



Premium Front Cowl

Broad front cowl with smoked screen creates a bulking front stance, chrome crown on headlamp adds a stroke of premiumness.

3D Wing Mark on Voluminous Tank

Voluminous tank with aero type fuel cap reflects the macho, bold character of Unicorn. Also the 3D Honda Wing Mark on the fuel tank amplifies its premium feel.

Signature Tail Lamp

Sharp tail lamp designed to create dual chamber impression, it creates a distinctive personality of Unicorn.

Stylish Instrument Panel

Merging three circle meter console design with blue backlit illumination gives a premium appeal.

Premium Chrome on Side Cover

Premium chrome stroke on side cover, makes people notice it from a far.

Get Around with Comfort & Convenience

















Engine Stop Switch

Now no need to use ignition key to turn off the engine at red lights and other brief stops. With engine stop switch do it more conveniently by just flick of a switch.

Monoshock Suspension

With monoshock rear suspension get more stability and comfort on all types of roads and riding conditions.

Long and Comfortable Seat

715mm long seat provides comfortable ride for both rider and pillion.

Long Wheelbase

Long wheelbase gives stable & comfortable riding experience on rough roads and high speed.

High Ground Clearance

187mm ground clearance gives more peace of mind on rough roads.

Side Stand Engine Cut Off

Adds to the safety of the rider, it cuts off the ignition if the vehicle is put in gear when the side stand is engaged.

3 + 3 Years Warranty Package

Complete peace of mind with 6 years warranty package, comprising 3 years standard and 3 years optional service warranty.